

## SAFETY DATA SHEET

Date Revised: 01/07/2019

### Section 1: Identification

**Product Description:** Dan's Nails - 8 oz Pro EMA Acrylic UV Nail Liquid Monomer.  
Odorless, EXTRA ADHESION, MMA Free, and Non Yellowing Acrylic Nail Liquid Monomer

**Manufacturer:**

Daniella Fer, LLC. Dba Dan's Nails

1965 S Ocean Dr

Hallandale Beach, FL 33009

Phone Number: (561) 595-7407

24 Hour Emergency Contact: (954) 534-1318

### Section 2: Hazard(s) Identification

This product does **NOT** contain Methyl Methacrylate / MMA

	<b>MIS</b>	<b>NFPA</b>	<b>GHS Pictograms:</b>	This product can cause allergic skin reactions upon prolonged or repeated exposure.  KEEP OUT OF REACH OF CHILDREN
<b>Health</b>	2	2	 	
<b>Flammability</b>	3	3		
<b>Reactivity</b>	1	1		
<b>Physical Hazard</b>				

<b>Toxicity</b>	This product can cause allergic skin reactions upon prolonged or repeated exposure.			
<b>Primary Routes of Entry</b>	<b>Inhalation</b>	<b>Skin</b>	<b>Eyes</b>	<b>Ingestion</b>
	X	X	X	X
<b>Signs/Symptoms of Exposure</b>	<b>Inhalation</b>	Coughing, wheezing, nasal congestion, and difficulty breathing. Concentrated vapors may also cause central nervous system depression.		
	<b>Skin</b>	Redness, itching and irritation.		
	<b>Eyes</b>	Redness, itching, irritation, and watering.		
	<b>Ingestion</b>	May cause nausea, vomiting and/or diarrhea and central nervous system depression.		

### Section 3: Composition/Information on Ingredients

Only components contributing to the hazard classification and/or with OELs are listed below

Chemical Name	CAS#	Exposure Limits in Air (mg/m <sup>3</sup> )							Wt. %
		OSHA - ppm			ACGIH - ppm		NOHSC - ppm		
		PEL	STEL	IDLH	TLV	STEL	ES-TWA	ES-STEL	
Ethyl Methacrylate	97-63-2	10	NE	NE	15	NE	NE	NE	< 75%
Hydroxypropyl Methacrylate	27813-02-1	NE	NE	NE	NE	NE	NE	NE	< 23%
Other Components <1% Concentration	The remaining components do not contribute any significant additional hazards								Balance

## SAFETY DATA SHEET Date Revised: 01/07/2019

### Section 4: First-Aid Measures

<b>Inhalation</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Control Center/doctor/physician if you feel unwell. Perform artificial respiration if breathing is difficult or stops.
<b>Skin</b>	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention if skin irritation or rash occurs
<b>Eyes</b>	Flush with water for 15 minutes. Open and close eyelids to ensure thorough irrigation. Seek immediate medical attention.
<b>Ingestion</b>	Rise mouth with water. Do not induce vomiting. Drink plenty of water or milk immediately. If already vomiting, continue to drink water or milk. Never give anything by mouth to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Expect to provide an estimate of the time at which material was ingested and the amount of substance swallowed

### Section 5: Fire-Fighting Measures

<b>Flammability Limits</b>	Lower Explosive Limit (LEL)	1.8%	Upper Explosive Limit (UEL)	NE
<b>Extinguishing Media</b>	Carbon dioxide (CO <sub>2</sub> ), powder, alcohol-resistant foam, water fog			
<b>Special Fire Fighting Procedures</b>	Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self-contained breathing apparatus. Wear fire/flame resistant/retardant clothing. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.			
<b>Hazardous Products of Combustion</b>	May form flammable/explosive vapor-air mixture. For quantities >5 liters, heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.			
<b>Unusual Fire/Explosion Hazards</b>	May form flammable/explosive vapor-air mixture.			

### Section 6: Accidental Release Measures

<b>Spill Procedures</b>	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.</p> <p>For small spills (e.g., &lt;1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and was thoroughly before reuse.</p> <p>For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.</p>
-------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## SAFETY DATA SHEET Date Revised: 01/07/2019

### Section 7: Handling and Storage

<b>Work &amp; Hygiene Practices</b>	Avoid prolonged contact with this material. Limit inhalation of the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. Do not eat, drink, or smoke while handling this product. For handling bulk quantities (>5 liters): Provide good ventilation in process area to prevent formation of vapor. No naked lights. Take precautionary measures against static discharge. Use only non-sparking tools. Handle empty containers with care because residual vapors are flammable.
<b>Storage &amp; Handling</b>	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. <i>Keep away from children at all times!</i>
<b>Special Precautions</b>	Local exhaust ventilation is recommended

### Section 8: Exposure Controls/Personal Protection

<b>Eyes</b>	Avoid eye contact. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product.
<b>Hands</b>	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., > 1 gallon), wear rubber or plastic impervious gloves.
<b>Body</b>	No apron required when handling small quantities. When handling large quantities (e.g., > 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
<b>Ventilation</b>	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).
<b>Respiratory</b>	No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.

### Section 9: Physical and Chemical Properties

<b>Appearance:</b> Purple Liquid	<b>Odor:</b> Fruity	<b>Boiling Point:</b> 214°F (101°C)
<b>Specific Gravity (H<sub>2</sub>O=1):</b> 0.9	<b>Solubility in Water:</b> Slightly	<b>Melting Point:</b> NE
<b>Vapor Density (Air=1):</b> 3.9	<b>Vapor Pressure (mm Hg):</b> NE	<b>Flash Point:</b> 76°F (24°C)
<b>Evaporation Rate (Butyl Acetate=1):</b> > 1	<b>Volatile Organic Compounds-voc (less exempt):</b> NE	

## SAFETY DATA SHEET Date Revised: 01/07/2019

### Section 10: Stability and Reactivity

<b>Stability</b>	Relatively stable under ambient conditions when stored properly. Flammable liquid and vapor.
<b>Hazardous Polymerization</b>	May not occur.
<b>Incompatible Materials</b>	Strong oxidizers, peroxides or strong acids.
<b>Conditions to Avoid</b>	Exposure or contact with extreme temperatures, direct sunlight, incompatible chemicals, strong light sources, sparks, flame.
<b>Hazardous Decomposition Products</b>	If exposed to high temperatures, products of thermal decomposition may include irritating vapors and toxic gasses (e.g., oxides of carbon & nitrogen).

### Section 11: Toxicological Information

This product has not been tested on animals to obtain toxicological data. There are toxicological data not represented in this document available for components of this product which can be found in scientific literature.

### Section 12: Ecological Information

Avoid release to the environment. Components of this product will slowly decompose into organic compounds. Releases of large volumes may be harmful or fatal to overexposed aquatic life with long lasting effects.

### Section 13: Disposal Considerations

Dispose in a safe manner in accordance with Federal, state, and local regulations. Handle empty containers with care because residual vapors are flammable. Avoid release to the environment.

Special Considerations: U.S. EPA Characteristic Waste: D001 (flammable)

### Section 14: Transport Information

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, ADGR and the CTDGR.

<b>DOT</b>	CONSUMER COMMODITY, ORM-D ( $\leq$ 5.0 L) FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABILIZED), 3, UN1993, III (> 5.0 L)
<b>IATA</b>	CONSUMER COMMODITY, 9, ID8000 ( $\leq$ 0.5 L) FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABILIZED), 3, UN1993, III, LTD QTY (> 0.5 L) FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABILIZED), 3, UN1993, III, LTD QTY (< 5.0 L)
<b>IMO</b>	FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABILIZED), 3, UN1993, III (> 5.0 L)

## SAFETY DATA SHEET

Date Revised: 01/07/2019

### Section 15: Regulatory Information

<b>TSCA Status:</b> Ethyl Methacrylate (97-63-2), Hydroxypropyl Methacrylate (27813-02-1)
<b>California Proposition 65:</b> No California proposition 65 chemicals are known to be present or intentionally added in the manufacture of this product.

### Section 16: Other Information

To the best of our knowledge the information contained herein is accurate. As the User has the responsibility to provide a safe workplace, a bulletin such as this cannot be expected to cover all possible individual situations. All aspects of an individual operation should be examined to determine when, if or where precautions are required in addition to those described herein. Any health hazard and safety information contained herein should be passed on to your customers or employees as applicable. The User is responsible to apply the information contained herein to develop adequate workplace guidelines and employee instructional programs for the individual operation and regulations. As such, Buyer assumes all risks of use, storage and handling of the product in compliance with applicable federal, state and local laws/regulations. Daniella Fer, LLC DbA Dan's Nails. does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the User. All materials may present unknown hazards and should be used with caution. Although certain hazards have been detailed herein, Daniella Fer, LLC DbA Dan's Nails offers no guarantee expressed or implied that these are the only potential hazards which may exist.